	Hits	Search Text	DBs
1	5	pinkas-denis.in.	US-PGPUB; USPAT
2	4479	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls.	US-PGPUB; USPAT
3	410	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)	US-PGPUB; USPAT
4	31	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) and (key$1 near3 generat$3) and ((control near2 vector$) or ((contraint$2 or restrict$3) near3 (key near usage)))	US-PGPUB; USPAT
5	2	((713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) and (key$1 near3 generat$3) and ((control near2 vector$) or ((contraint$2 or restrict$3) near3 (key near usage)))) and (certificat$3 near3 request)	USPAT
6	862	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and ((diversif$7 or variant$1 or deriv$5) near4 key$1)	US-PGPUB; USPAT
7	27	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (diversif$7 near4 key$1)	US-PGPUB; USPAT
8	37	"4811393".URPN.	USPAT
9	1	("5200999").PN.	USPAT; USOCR

	Hits	Search Text	DBs
10	37	matyas-stephen-m.in. and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3))	US-PGPUB; USPAT
11	0	(matyas-stephen-m.in. and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3))) and ((diversifi$6 or mother) near3 key$1)	US-PGPUB; USPAT
12	10	((diversifi$6 or mother) near3 key$1) with (public or private)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	65	((group or mother) near2 public key) same (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	((group or mother) near2 ("public key" or "private key")) same (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	230	((group or mother) near2 ("public key" or "private key"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	3	((group or mother) near2 ("public key" or "private key")) and (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	1	fiat.in. and shamir.in.	USPAT
18	3	guillou.in. and quisquater.in.	USPAT
19	42	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3) same manufacture)	US-PGPUB; USPAT

	Hits	Search Text	DBs
20	2	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3) same manufacture)) and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3) near5 (set$1 or batch$2))	US-PGPUB; USPAT
21	19	(set$1 or batch$2 or number or plural$3 or multiple) near3 (cryptographic adj (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) same (manufacture or produc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	19	"4944007".URPN.	USPAT
23	42	"5586186".URPN.	USPAT
24	5	"5729609".URPN.	USPAT
25	6	"5745576".URPN.	USPAT
26	1	("5555309").PN.	USPAT; USOCR
27	4488	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls.	US-PGPUB; USPAT
28	12	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and ((certificat$3 near5 request) with (manufacture or operator))	US-PGPUB; USPAT
29	4	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (manufacture near3 (publish$3 or export$3) near6 key$1)	US-PGPUB; USPAT
30	10	(manufacture with (publish$3 or export$3) near6 key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	22	(manufacture same (publish$3 or export$3) near6 key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	austin-jeffrey-r.in.	USPAT
33	411	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)	US-PGPUB; USPAT
34	28	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) and ((manufacture$1 or operator$1 or bank$1 or compan$3 or enterprise$1) near (id or identif$))	US-PGPUB; USPAT
35	0	(cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) with (manufacture near2 (id or identif$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	84	(device near2 (id or identif$)) with (manufacture near2 (id or identif$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	19	((device near2 (id or identif$)) with (manufacture near2 (id or identif$))) and ((encrypt$3 or decrypt$ or crypto$) near2 key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	325	((public or encrypt$3 or decrypt$ or crypto$) near2 key$1) with manufacture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	30	(((public or encrypt$3 or decrypt$ or crypto$) near2 key$1) with manufacture) and (manufacture near2 (id or identif$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	0	weak near3 (decrypt$3 or encrypt$3) with (des near 40$1bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	10	weak near3 (decrypt$3 or encrypt$3) with des	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	20	(certificat$3 near2 request) with (template or format or syntax)	USPAT
43	655	((device near2 (id or identif)) or "serial number") with ((manufacture or vendor) near2 (id or identif$ or information))	US-PGPUB; USPAT
44	151	(((device near2 (id or identif)) or "serial number") with ((manufacture or vendor) near2 (id or identif$ or information))) and (encrypt$ or decrypt$ or cryptograph$)	US-PGPUB; USPAT
45	71	(((device near2 (id or identif)) or "serial number") with ((manufacture or vendor) near2 (id or identif$ or information))) and ((encrypt$ or decrypt$ or cryptograph$) near2 key$1)	US-PGPUB; USPAT
46	5	pinkas-denis.in.	US-PGPUB; USPAT
47	2	((713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) and (key$1 near3 generat$3) and ((control near2 vector$) or ((contraint$2 or restrict$3) near3 (key near usage)))) and (certificat$3 near3 request)	USPAT

	Hits	Search Text	DBs
48	30	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (diversif$7 near4 key$1)	US-PGPUB; USPAT
49	37	"4811393".URPN.	USPAT
50	37	matyas-stephen-m.in. and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3))	US-PGPUB; USPAT
51	0	(matyas-stephen-m.in. and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3))) and ((diversifi$6 or mother) near3 key$1)	US-PGPUB; USPAT
52	11	((diversifi$6 or mother) near3 key$1) with (public or private)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	1	((group or mother) near2 ("public key" or "private key")) same (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	4	((group or mother) near2 ("public key" or "private key")) and (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	fiat.in. and shamir.in.	US-PGPUB; USPAT
56	3	guillou.in. and quisquater.in.	US-PGPUB; USPAT
57	2	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3) same manufacture)) and (cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3) near5 (set$1 or batch$2))	US-PGPUB; USPAT

	Hits	Search Text	DBs
58	21	(set$1 or batch$2 or number or plural$3 or multiple) near3 (cryptographic adj (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) same (manufacture or produc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	20	"4944007".URPN.	USPAT
60	44	"5586186".URPN.	USPAT
61	5	"5729609".URPN.	USPAT
62	7	"5745576".URPN.	USPAT
63	16	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and ((certificat$3 near5 request) with (manufacture or operator))	US-PGPUB; USPAT
64	4	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (manufacture near3 (publish$3 or export$3) near6 key$1)	US-PGPUB; USPAT
65	10	(manufacture with (publish$3 or export$3) near6 key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	27	(manufacture same (publish$3 or export$3) near6 key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	2	austin-jeffrey-r.in.	US-PGPUB; USPAT
68	30	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) and ((manufacture$1 or operator$1 or bank$1 or compan$3 or enterprise$1) near (id or identif$))	US-PGPUB; USPAT

	Hits	Search Text	DBs
69	0	(cryptographic near2 (co$1processor$1 or module$1 or component$1 or device$1 or facilit$3)) with (manufacture near2 (id or identif$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	21	((device near2 (id or identif$)) with (manufacture near2 (id or identif$))) and ((encrypt$3 or decrypt$ or crypto$) near2 key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	38	(((public or encrypt$3 or decrypt$ or crypto$) near2 key$1) with manufacture) and (manufacture near2 (id or identif$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	0	weak near3 (decrypt$3 or encrypt$3) with (des near 40$1bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	11	weak near3 (decrypt$3 or encrypt$3) with des	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	28	(certificat$3 near2 request) with (template or format or syntax)	USPAT
75	99	(((device near2 (id or identif)) or "serial number") with ((manufacture or vendor) near2 (id or identif$ or information))) and ((encrypt$ or decrypt$ or cryptograph$) near2 key$1)	US-PGPUB; USPAT